

 Digital Signage

**LEVEL 9**  
Charging + Digital Displays

**TOUCH SCREEN POSTER**

55" commercial touch totem designed to create interactive in-store experiences

Designed for 24/7 commercial use

High quality 450cd/m<sup>2</sup> IPS panel

Ultra-responsive 10 point PCAP touch

Surface plasma treatment

Integrated Android media player

#### ADDITIONAL FEATURES



Integrated speakers



Lightweight design



Integrated castors



USB plug and play



Giant tablet styling



Alternative colours available




Internal locker



Optional network upgrade

Presenting the  
Freestanding PCAP  
Touch Screen  
Poster range



[level9displays.com](http://level9displays.com)

**LEVEL 9**  
Charging + Digital Displays

# VIPS





450CD/M<sup>2</sup> IPS PANEL

10 TOUCH PCAP POINTS

SURFACE PLASMA TREATMENT

SPACE FOR LOGO



INTEGRATED CASTORS

USB PLUG AND PLAY

24/7 COMMERCIAL USE

OPTIONAL NETWORK UPGRADE



# LEVEL 9

+Charging + Digital Displays

## 55 Inch

<b>Panel</b>	Resolution	1080 x 1920
	Display Area (mm)	681.4 x 1210.6
	Aspect Ratio	16:9
	Brightness (cd/m <sup>2</sup> )	450
	Colour	16.7M
	Viewing Angle	178°
	Contrast Ratio	5000:1
<b>Touch</b>	Touch Technology	PCAP
	Touch Points	10
	Glass Hardness	7H minimum
<b>Audio</b>	Speaker Type	10W, 4Ω (x2)
<b>AV Inputs</b>	Video	HDMI, VGA
	Audio Input	Audio Socket (3.5mm)
	Audio Output	Audio Socket (3.5mm)
<b>Power</b>	Power Consumption (W)	>155
	Input Voltage	AC110~240V (50Hz~60Hz)
<b>Mechanical</b>	Unit Size (WxHxD mm)	1911.5 x 744 x 41.2
	Package Size (WxHxD mm)	2035 x 961 x 270
	Footprint (W x D)	744 x 500
	Net Weight (kg)	69.5
	Gross Weight (kg)	93
<b>Environmental</b>	Operating Temperature	0°C to 40°C
	Storage Temperature	-10°C to 55°C
	Operating Humidity	10% to 80%
	Storage Humidity	10% to 80%
<b>Computer</b>	CPU	Quad-Core ARM Cortex A17, 1.6GHz
	GPU	Quad-Core ARM Mali-T764
	RAM	DDR3 2GB
	Internal Storage	8GB eMMC
	USB	1 x USB (OTG/HOST), 1 x USB (HOST)
	LAN	100M/1000M Ethernet
	Wi-Fi	802.11b/g/n/ac
	Bluetooth	Bluetooth 4.2
	OS	Android 7.1
	Graphic Engine	OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1
Other	No accessible buttons or controls	
<b>Accessories</b>	Included	Remote Control, User Manual, Power Cable, USB to USB Cable, Wi-Fi Aerial
<b>Warranty</b>	Warranty Period	3 Year Warranty
	Technical Support	Lifetime

## Why Level 9 Displays?

Level 9 Displays has partnered with Melford Technologies to bring you the latest next generation digital solutions.

Melford Technologies have been offering innovative technology solutions for over 50 years.

Together we provide experienced professional design, project planning, configuration, deployment, and maintenance services for a full one stop shop.

## Contact Us

[johnbaird@level9displays.com](mailto:johnbaird@level9displays.com)

(416) 931-3784

